

Electronic Acknowledgement Receipt

EFS ID:	1089851
Application Number:	10758737
Confirmation Number:	6381
Title of Invention:	Reinforced component
First Named Inventor:	Kevin T. Burt
Customer Number:	8698
Filer:	Jeffrey C. Norris/Trisha Beachy-Bryant
Filer Authorized By:	Jeffrey C. Norris
Attorney Docket Number:	CPL1538-223
Receipt Date:	23-JUN-2006
Filing Date:	16-JAN-2004
Time Stamp:	12:03:08
Application Type:	Utility
International Application Number:	

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)	Multi Part	Pages
1	Information Disclosure Statement (IDS) Filed	US_IDS_Form__SB_08a_8_CPL1538-223_6-23-06.pdf	1030527	no	8

Warnings:					
Information:					
A U.S. Patent Number Citation or a U.S. Publication Number Citation is required in the Information Disclosure Statement (IDS) form for autoloading of data into USPTO systems. You may remove the form to add the required data in order to correct the Informational Message if you are citing U.S. References. If you chose not to include U.S. References, the image of the form will be processed and be made available within the Image File Wrapper (IFW) system. However, no data will be extracted from this form. Any additional data such as Foreign Patent Documents or Non Patent Literature will be manually reviewed and keyed into USPTO systems.					
2	NPL Documents	NPL_ASTM_StandardTerminologyRelatingToWood-BasedFiberAndParticlePanelMaterials.pdf	316041	no	4
Warnings:					
Information:					
3	NPL Documents	NPL_BendtsenEtAl_MechanicalPropertiesOfWood.pdf	2445331	no	40
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
4	NPL Documents	NPL_BibliographyOfSolidPhaseExtrusion.pdf	278775	no	9
Warnings:					
Information:					
5	NPL Documents	NPL_BrzoskowskiEtAl_AirLubricatedDieForExtrusionOfRubberCompounds.pdf	487983	no	12
Warnings:					
Information:					
6	NPL Documents	NPL_CampbellEtAl_TheReinforcementOfThermoplasticElastomersWithSantowebFibre.pdf	552063	no	10
Warnings:					
Information:					
7	NPL Documents	NPL_CollierEtAl_HighStrengthExtrudatesByMeltTransformationCoextrusion.pdf	466296	no	6
Warnings:					
Information:					
8	NPL Documents	NPL_CollierEtAl_StreamlinedDiesAndProfileExtrusion.pdf	318659	no	4
Warnings:					
Information:					

9	NPL Documents	NPL_CompanyNews_Plastic sIndustryNews.pdf	127029	no	2
Warnings:					
Information:					
10	NPL Documents	NPL_DalvagEtAL_TheEfficie ncyOfCellulosicFillersInCom monThermoplastics.pdf	1082915	no	16
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
11	NPL Documents	NPL_Doroudiani_StructureA ndMechanicalPropertiesStud yOfFoamedWoodFiberPolyet hylenComposites.pdf	295059	no	5
Warnings:					
Information:					
12	NPL Documents	NPL_EINEngineeringInc_Ma kingWoodFromWasteWoodA ndWastePlasticUsingEINtec hnology.pdf	2513086	no	16
Warnings:					
Information:					
13	NPL Documents	NPL_EINEngineeringInc_Wo odLikeMaterialSuperiorToRe alWood.pdf	1005478	no	5
Warnings:					
Information:					
14	NPL Documents	NPL_EngishEtAL_Wastewoo dDerivedFillersForPlastics.p df	1523841	no	16
Warnings:					
Information:					
15	NPL Documents	NPL_FiberlocPolymerCompo sites_Section1.pdf	695146	no	7
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
16	NPL Documents	NPL_FillersForThermoplasti sBeyondResinStretching_Mo dernPlasticsInternational.pdf	432991	no	4
Warnings:					
Information:					

17	NPL Documents	NPL_FillThermoplasticsWithWood_ModernPlastics.pdf	170106	no	2
Warnings:					
Information:					
18	NPL Documents	NPL_ForestProductsLaboratory_WoodHandbookWoodAsAnEngineeringMaterial.pdf	107323	no	2
Warnings:					
Information:					
19	NPL Documents	NPL_FromSwedenExtrudedInteriorTrimMadeOfPVCAndWoodFloor_PlasticBuildingConstruction.pdf	189046	no	2
Warnings:					
Information:					
20	NPL Documents	NPL_Gatenholm_TheEffectOfChemicalCompositionOfInterphasOnDispersionOfCelluloseFibersInPolymers.pdf	990566	no	12
Warnings:					
Information:					
21	NPL Documents	NPL_HenriciOliveEtAl_IntegralStructuralPolymerFoams.pdf	880523	no	13
Warnings:					
Information:					
22	NPL Documents	NPL_KlasonEtAl_TheEfficiencyOfCelluloseFillersInCommonThermoplastics.pdf	1056961	no	14
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
23	NPL Documents	NPL_KoktaEtAl_CompositesOfPolyVinylChlorideAndWoodFibersII.pdf	505552	no	6
Warnings:					
Information:					
24	NPL Documents	NPL_KoktaEtAl_CompositesOfPolyVinylChlorideWoodFibersI.pdf	978901	no	32
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					

25	NPL Documents	NPL_KoktaEtAl_CompositesOfPolyVinylChlorideWoodFibersIII.pdf	807783	no	9
Warnings:					
Information:					
26	NPL Documents	NPL_KoktaEtAl_UseOfGraftedWoodFibersInThermoplasticCompositesVPolystyrene.pdf	201726	no	5
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
27	NPL Documents	NPL_KoktaEtAl_UseOfWoodFibersInThermoplasticComposites.pdf	312130	no	4
Warnings:					
Information:					
28	NPL Documents	NPL_KowalskaEtAl_ModificationOfRecyclatesOfPolyethylenAndPolyVinylChlorideWithScrapPaper.pdf	1533778	no	10
Warnings:					
Information:					
29	NPL Documents	NPL_Lightsey_OrganicFillersForThermoplastics.pdf	770513	no	19
Warnings:					
Information:					
30	NPL Documents	NPL_MaldasEtAl_CompositesOfPolyvinylChlorideWoodFibers.pdf	743061	no	9
Warnings:					
Information:					
31	NPL Documents	NPL_MaldasEtAl_ImprovingAdhesionOfWoodFiberWithPolystyrene.pdf	490094	no	11
Warnings:					
Information:					
32	NPL Documents	NPL_Maloney_ModernParticleboardDryProcessFiberboardManufacturing.pdf	361197	no	6
Warnings:					
Information:					
33	NPL Documents	NPL_MyersEtAl_CompositesFromPlasticsAndWoodBasedFillers.pdf	819869	no	15

Warnings:					
Information:					
34	NPL Documents	NPL_MyersEtAl_EffectsOfCompositionAndPolypropyleneMeltFlowOnPolypropyleneWasteNewsper.pdf	255030	no	4
Warnings:					
Information:					
35	NPL Documents	NPL_MyersEtAl_WoodFlourAndPolypropyleneOrHighDensityPolyethylenComposites.pdf	596547	no	8
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
36	NPL Documents	NPL_PanshinEtAl_ForestProductsTheirSourcesProductionAndUtilization.pdf	453926	no	8
Warnings:					
Information:					
37	NPL Documents	NPL_PornnimitEtAl_ExtrusionOfSelfReinforcedPolyethylene.pdf	538532	no	9
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
38	NPL Documents	NPL_RajEtAl_TheInfluenceOfCouplingAgentsOnMechanicalPropertiesOfCompositesContaining.pdf	595258	no	15
Warnings:					
Information:					
39	NPL Documents	NPL_RajEtAl_UseOfWoodFiberAsFillerInCommonThermoplasticsStudiesOnMechanicalProperties.pdf	650373	no	14
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
40	NPL Documents	NPL_RajEtAl_UseOfWoodFibersInThermoplasticsVII.pdf	720284	no	16
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					

Information:					
41	NPL Documents	NPL_Redbook_PlasticsCom pounding.pdf	163925	no	2
Warnings:					
Information:					
42	NPL Documents	NPL_Reineke_WoofFlour.pdf	413843	no	7
Warnings:					
Information:					
43	NPL Documents	NPL_ResinStretchingAccent OnPerformance_ModernPlas ticInternational.pdf	306307	no	3
Warnings:					
Information:					
44	NPL Documents	NPL_RobsonEtAl_ACompari sonOfWoodAndPlantFiberPr operties.pdf	445350	no	6
Warnings:					
Information:					
45	NPL Documents	NPL_RogalskiEtAl_PolyVinyl ChlorideWoodFiberComposit es.pdf	254888	no	3
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
46	NPL Documents	NPL_RoyalGroupTechnologi es_NewCompositeBuildingM aterialAddsTheRightMixOfBe autyAndBrawn.pdf	230366	no	3
Warnings:					
Information:					
47	NPL Documents	NPL_SchneiderEtAl_Biofiber sAsReinforcingFillersInTher moplasticComposites.pdf	402911	no	6
Warnings:					
Information:					
48	NPL Documents	NPL_Schut_Compatibilizing MixedPostConsumerPlastics .pdf	76334	no	1
Warnings:					
Information:					

49	NPL Documents	NPL_SimonsenETAl_WoodFiberReinforcementOfStyreneMaleicAnhydrideCopolymers.pdf	534667	no	7
Warnings:					
Information:					
50	NPL Documents	NPL_SonwoodANewPCTWoodFlourAlloyForExtrusionsAndOtherPlasticProcessingTechniques.pdf	1008694	no	12
Warnings:					
Information:					
51	NPL Documents	NPL_SonwoodOutline_SonessonPlastAB.pdf	195495	no	4
Warnings:					
Information:					
Total Files Size (in bytes):			32333079		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p>					